

HYUNDAI



LED High Quality Linear Eye-care Strip Lights

For more information about the company
Please visit www.hyundailighting-led.com
Licensed by HYUNDAI Corporation Holdings, Korea

SMD-24V

High Luminous



Item No. 产品型号	CCT (K) 色温	CRI 显指	Voltage (DCV) 电压	Power (W) 功率	Flux (lm) 光通量	Efficacy (lm/w) 光效	Meter Quantity (EA/M) 灯珠数量	IP 防护 等级	PCB Width (mm) 宽度	Cut Length (cm) 裁剪 长度
HYD-ST-002	3K/6.5K	80	24V	10W	1000-1050	100-105	120D	20	8	5
HYD-ST-002	3K/4K/6.5K	90	24V	10W	950-1000	95-100	120D	20	8	5
HYD-ST-011 Single	3K/6.5K	80	24V	15W	1650-1725	110-115	240D	20	10	2.5
HYD-ST-011 Single	3K/6.5K	90	24V	15W	1425-1500	95-100	240D	20	10	2.5
HYD-ST-012 Double	3K/6.5K	80	24V	15W	1575-1650	105-110	240D	20	10	2.5
HYD-ST-012 Double	3K/6.5K	90	24V	15W	1425-1500	95-100	240D	20	10	2.5

COB-24V

High Luminous



Item No. 产品型号	CCT (K) 色温	CRI 显指	Voltage (DCV) 电压	Power (W) 功率	Flux (lm) 光通量	Efficacy (lm/w) 光效	Meter Quantity (EA/M) 灯珠数量	IP 防护等级	PCB Width (mm) 宽度	Cut Length (cm) 裁剪长度
HYD-ST-010	3K/6.5K	80	24V	10W	950-1000	95-100	320D	20	8	25
HYD-ST-001	3K/4K	90	24V	10W	950-1000	95-100	320D	20	8	25

SMD-220V

High Luminous



Item No. 产品型号	CCT (K) 色温	CRI 显指	Voltage (DCV) 电压	Power (W) 功率	Flux (lm) 光通量	Efficacy (lm/w) 光效	Meter Quantity (EA/M) 灯珠数量	IP 防护等级	PCB Width (mm) 宽度	Cut Length (cm) 裁剪长度
HYD-ST-003	3K/4K/6K	80	220V	9W	810-855	90-95	72D	65	5	100
HYD-ST-013	3K/6.5K	80	220V	10W	1100-1150	110-115	120D	65	11	20
HYD-ST-004 2 line	3K/4K/6K	80	220V	10W	1150-1200	115-120	180D	65	11	20
HYD-ST-014 3 line	3K/6.5K	80	220V	10W	1000-1050	100-105	180D	65	11	20



HYUNDAI
LIGHTING



Factory Add:No.19 Xiangnan South Road,Changxing Industrial Area,Jun an
Town,Shunde District,Foshan City,Guangdong Province,China
E-mail:fanny@hyundailighting-led.com
Web:www.hyundailighting-led.com

工厂地址:广东省佛山市顺德区均安镇畅兴工业社区居民委员会祥安南路19号之三
邮箱: fanny@hyundailighting-led.com
网址: www.hyundailighting-led.com